

CHAPTER Env-A 2800 SAND AND GRAVEL SOURCES, AND CEMENT AND CONCRETE SOURCES

Statutory Authority: RSA 125-C:4

PART Env-A 2801 PURPOSE

Env-A 2801.01 Purpose. The purpose of this chapter is to establish standards for particulate matter emissions and visible emissions for sand and gravel sources and cement and concrete sources.

Source. #6428-B, eff 1-18-97 (formerly Env-A 1210); ss by #8218, eff 11-24-04

PART Env-A 2802 SCOPE

Env-A 2802.01 Scope. This chapter shall apply to any:

- (a) Sand and gravel source; and
- (b) Cement, ready mix concrete, or cement block source.

Source. #6428-B, eff 1-18-97 (formerly Env-A 1210); ss by #8218, eff 11-24-04

PART Env-A 2803 EMISSION STANDARDS FOR SAND AND GRAVEL SOURCES

Env-A 2803.01 Visible Emission Standards for Sand and Gravel Sources.

(a) The owner or operator of a sand and gravel source shall not cause or allow visible fugitive emissions or visible stack emissions from the source to exceed an average of 20 percent opacity for any continuous 6-minute period at crushers, transfer points, and screens.

(b) Opacity shall be determined in accordance with Env-A 807.

Source. #6428-B, eff 1-18-97 (formerly Env-A 1210); ss by #8218, eff 11-24-04

Env-A 2803.02 Fugitive Emission Control Systems for Sand and Gravel Sources. The owner or operator of a sand and gravel source shall not operate the source unless it is equipped with a fugitive emission control system that is operated and maintained to control the emission of particulate matter.

Source. #6428-B, eff 1-18-97 (formerly Env-A 1210); ss by #8218, eff 11-24-04

PART Env-A 2804 VISIBLE EMISSION STANDARD FOR CEMENT, READY MIX CONCRETE, AND CEMENT BLOCK SOURCES

Env-A 2804.01 Visible Emission Standard for Cement, Ready Mix Concrete, and Cement Block Sources.

(a) Visible fugitive emissions or visible stack emissions from a cement, ready mix concrete, or cement block source shall not exceed an average of 20 percent opacity for any continuous 6-minute period.

(b) Opacity shall be determined in accordance with Env-A 807.

Source. #6428-B, eff 1-18-97 (formerly Env-A 1210); ss by #8218, eff 11-24-04

# NEW HAMPSHIRE CODE OF ADMINISTRATIVE RULES

## PART Env-A 2805 FUGITIVE DUST CONTROL WITHIN THE PLANT PROPERTY

### Env-A 2805.01 Fugitive Dust Control Within Plant Property.

(a) For a source or plant subject to this chapter, the owner or operator shall control emissions of dust from vehicular movement within the plant property boundaries. Fugitive dust control methods shall include, but shall not be limited to, paving or wetting the roadway.

(b) For a source or plant subject to this chapter, the owner or operator shall control emissions of dust from stockpiling. Fugitive dust control methods shall include, but shall not be limited to, wet suppression, windbreaks, enclosures, or soil stabilization.

Source. #6428-B, eff 1-18-97 (formerly Env-A 1210); ss by #8218, eff 11-24-04

NEW HAMPSHIRE CODE OF ADMINISTRATIVE RULES

**Appendix**

<b>Provision of the Rule</b>	<b>Specific State or Federal Statutes or Regulations which the Rule is Intended to Implement</b>
Env-A 2801 - 2805	RSA 125-C:4, I(a); RSA 125-C:6, II